



GAMA 50B


- ♦ The Gama 50B is a high-performance floor cleaning machine suitable for professional use.
- ♦ Its high performance and versatility meet the cleaning needs of businesses.
- ♦ The Dass Gama 50B model is the most functional product in the series. Its high-speed brush and powerful vacuum motor ensure the desired cleanliness is achieved in the most comfortable way.




Epoxy



Marble




Concrete



Vinyl



PVC



Tile

and your assistant in many other areas.



Shipping Size (cm):
124*61*115
Desi: 289,95

Technical Specifications

MODEL NAME	DASS GAMA 50B
VOLTAGE	24 V
VACUUM MOTOR POWER	600 Watt
BRUSH MOTOR POWER	400 Watt
TOTAL ENGINE POWER	1000 Watt
BRUSH MOTOR SPEED	3000 d/dk
BRUSH RPM	170 d/dk
BRUSH DIAMETER	ø 50
CLEAN WATER TANK	61 lt
DIRTY WATER TANK	65 lt

CLEANING WIDTH	850 mm
SUCTION PRESSURE	1836 mm/ H ² O
NOMINAL WORKING CAPACITY	1450 m ² / saat
MAXIMUM WORKING CAPACITY	1750 m ² / saat
BRUSH WEIGHT	3.65 kg
BATTERY CAPACITY	100 A
VACUUM HOSE INNER DIAMETER	ø 38 mm
DIMENSIONS (W x D x H)	560 x 1120 x 1040 mm
WEIGHT	225 kg



EXPLORE ONLINE

İtici Otomatların Teknik Özellikleri

MODELS	VEGA 18E	VEGA 18B	GAMA 32E	GAMA 32B	GAMA 38E	GAMA 38B	GAMA 43E	GAMA 43B	GAMA 50E	GAMA 50B	GAMA 50BD
VOLTAGE (V/Hz)	220 / 50	24	220 / 50	24	220 / 50	24	220 / 50	24	220 / 50	24	24
BRUSH MOTOR POWER (W)	375 / DC	550 / DC	550 / DC	400 / DC	550 / DC	400 / DC	550 / DC	400 / DC	1100 / DC	400 / DC	400 / DC
VACUUM MOTOR POWER (W)	1200 / AC	400 / AC	1200 / AC	400 / AC	1200 / AC	600 / AC	1200 / AC	600 / AC	1200 / AC	600 / AC	600 / AC
TOTAL POWER (W)	1575	990	1750	800	1750	1000	1750	1000	2300	1000	1250
BRUSH DIAMETER (MM)	380	380	320	320	430	430	430	430	500	500	500
BRUSH MOTOR SPEED (RPM)	170	170	170	300	170	170	170	170	180	170	170
BRUSH SPEED (RPM)	1 / 0	1 / 0	1 / 0	1 / 0	1 / 1	1 / 1	1 / 1	1 / 1	1 / 1	1 / 1	1 / 1
BATTERY (V/A)	*	12 / 40 x 2	*	12 / 40 x 2	*	12 / 75 x 2	*	12 / 100 x 2	*	12 / 100 x 2	12 / 100 x 2
CHARGING TIME (Hour)	*	8	*	8	*	8	*	8	*	8	8
CLEANING WIDTH (MM)	500	500	320	320	850	850	850	850	850	850	850
CLEAN / DIRTY WATER TANK (L)	14/18	14/18	8,5/6	8,5/6	20/38	20/38	38/42	38/42	61/65	61/65	61/65
DIMENSIONS (W x D x H)	56,5x107x105	56,5x107x105	47x67x120	47x62x120	55x110x90	55x110x90	56x102x102	56x102x102	56x112x104	56x112x104	56x112x104
WEIGHT (KG)	48	95	43	70	54	122	60	153	67	225	165
GROSS WEIGHT	58	105	53	80	64	132	73	166	80	238	178

Technical Specifications of Riding Modelsav

MODEL	ORIENT SC70	ORIENT SC110	ALFA SC195	COMBI SWC195
TOTAL POWER (W)	1350	1350	3.300	3.400
VACUUM MOTOR POWER (W)	400	400	2 x 400	600
BRUSH MOTOR POWER (W)	550	550	1100	1300
MOVING MOTOR POWER (W)	400	400	400	1500
VOLTAGE (VDC)	24	24	48	48
BRUSH NUMBER	2	2	2	2
BRUSH DIAMETER (MM)	ø 320	ø 380	ø 500	ø 500
DIMENSION (MM)	1200 x 600 x 1400	1900 x 860 x 1650	970 x 1600 x 1450	1230 x 1950 x 1530
MAX. WORKING CAPACITY (M ² /HOUR)	3800	4080	6000	10000
CLEAN WATER TANK (L)	70	100	195	260
DIRTY WATER TANK (L)	50	120	200	270

Featured Usage Detailsa




Water Drainage Hoses



Durable Rotation Body




User-Friendly Control Panel



High Maneuverability

Internal Accessories

	Charger	1 Piece
	Soft Bristle Brush	1 Piece
	Hard Floor Tool	1 Piece
	Vacuum Device	1 Piece

Optional Accessories

	20L. DASS Automatic Solution
	White Floor Mat
	Black Floor Mat


Product Field Images



Model Comparison



Cleaning Width Comparison



OUR GUARANTEES



Compact Space-Saving Model Product Images

VEGA 18B/E



Gama 32B/E



Push-Type Model Product Images

Gama 38B/E



Gama 43B/E



Gama 50B/E



Rider Model Product Images

Orient Sc70



Orient Sc110



Heavy Duty Riding Product Images

Alfa Sc195



Rider Floor Washing and Sweeping Machine

Combi Swc195



OUR REFERENCES



*The satisfaction of all our customers who prefer us in our
35-year journey, which we cannot fit into this list,
is our strongest reference.
We thank them all.*

65+

Exports to Country

10.000+

Happy Customer

35+

Years of Experience

www.dassglobal.com.tr
Clean Technologies for the World